

**GOVERNMENT OF ANDHRA PRADESH**  
**A B S T R A C T**

Public Services - Disciplinary action under rule 20 of APCS (CC&A) Rules, 1991 against Sri K.V.S.L.N. Raju, Superintending Engineer and 3 others, on the allegations of irregularities in irregular Promotion to Sri N. Satyanandam, as Superintendent O/o Superintending Engineer, IC Dowlaiswaram - Appointment of Sri D. Subbaiah, Chief Engineer (Projects) Ongole in place of Sri P.S.R. Subrahmanyam, ENC (Medium Irrigation), as Inquiring Authority - Orders - Issued.

=====

IRRIGATION & CAD (SER.X-2) DEPARTMENT

G.O.Rt.No. 269

Dated: 08 -03-2010

Read the following:

1. G.O.Rt.No.128, I & CAD (Ser.X.2) Department, 4.2.2010
2. From the Engineer In Chief Medium Irrigation Ir.No. ENC?med/DCE-III/V1/4355/2009, dt. 22.2.2010.

**ORDER**

Whereas, an inquiry under Rule 20 of the Andhra Pradesh Civil Services (Classification, Control and Appeal) Rules, 1991 is being held against the following officials of office of the Superintending Engineer, IC Dowlaiswaram

1. Sri K.V.S.L.N. Raju, S.E
2. Sri P.G.Chandrasekharam, Dy.S.E.
3. Sri A. Panduranga Rao, N.T.P.A.(Retd.)
4. Sri P.V.S. Gopalachary Sr.Asst

2. And whereas, it is considered that an Inquiring Authority should be appointed to inquire into the charges framed against the above said Engineering officials .

3. In the reference 1<sup>st</sup> read above, orders were issued appointing Sri P.S.R. Subrahmanyam, Engineer-In-Chief (Medium Irrigation) I & CAD Department , Hyderabad, as Inquiring Authority to inquire into the charges framed against the said officials of office of the Superintending Engineer, IC, Dowlaiswaram. In the reference 2<sup>nd</sup> read above.

4. In the reference 2<sup>nd</sup> read above , the ENC(Medium Irrigation) has informed that while he was holding the additional charge of the post ENC(AW), was submitted the report on the subject. Based on the report AOCs were issued . Therefore, he has stated that it is appropriate to appoint another officer as inquiry authority in the matter to conducting free and fair inquiry.

5. Govt. after examining the matter and in exercise of the powers conferred by sub-rule (2) of rule-20 of the said rule, the disciplinary authority hereby appoints Sri D. Subbaiah, Chief Engineer (Projects) Ongole as Inquiry Authority in place of Sri P.S.R. Subrahmanyam,ENC (Med.Irrigation) to inquire into the charges framed against the above officials of office of the Superintending Engineer, IC Dowlaiswaram. He is directed to complete the Inquiry with in tow months and submit the report to Govt.

(PTO)

//2//

6. Copies of reports, charge memos and Written Statements of Defense submitted by the Accused Officer are enclosed herewith to the Inquiring Authority. The Presenting Officer will produce the other original documents relating to the case before the Inquiring Authority. The Inquiring Authority is requested to conduct the enquiry and submit his report within two months.

**(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)**

S.P.TUCKER  
PRINCIPAL SECRETARY TO GOVERNMENT

To  
Sri D. Subbaiah, Chief Engineer (Projects) Ongole.  
(by Registered Post)  
Sri P.S.R. Subrahmanyam, Engineer-In-Chief  
(Medium Irrigation), I & CAD Department, Hyderabad.  
Smt. K. Swarna Seshu, Advocate,  
Plot No.184 F, 3<sup>rd</sup> Floor, Swarna Apartments,  
Kalyan Nagar, Hyderabad and Presenting Officer.  
She is requested to present the case before the Inquiring officer  
The individual through Engineer-in-Chief (AW),  
Irrigation & CAD Department, Hyderabad.  
The Engineer-In-Chief (Admn. Wing) , Irrigation & CAD Dept., Hyderabad .  
Copy to the Secretary to VC., Hyderabad.  
SF/SC

//FORWARDED: : BY ORDER//

SECTION OFFICER